

6801 St. Rt. 60 Birmingham, Ohio 44889

SECTION 1 – PRODUCT IDENTIFICATION

Product Name: eXtra Heavy Duty Cleaner

Identified Uses: Developed for use as a Cleaner/Degreaser

Product Code: #184332 (1) Gallon Container

#184331 Case of (4) 1-Gallon Containers W/Pump

Made in USA For: BETTCHER INDUSTRIES, INC.

6801 State Route 60

Birmingham, Ohio 44889 USA

Customer Service: 1-440-965-4422 | 1-800-321-8763

General E-mail: sales@bettcher.com | www.bettcher.com

Emergency Phone #: 800-535-5053 Domestic (INFOTRAC)

352-323-3500 International (INFOTRAC)

SECTION 2 – HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 1B

Eye Damage/Irritation: Category 1

Signal Word: DANGER



Symbols:

Emergency Overview

Physical State: Liquid

Color: Green, clear

Odor: Fresh

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200)

Hazard Statements

Causes Severe Skin Burns and Eye Damage

Causes Serious Eye Damage

<u>Precautionary Statements – Prevention</u>

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dusts or mists.

6801 St. Rt. 60 Birmingham, Ohio 44889

Precautionary Statements - Response

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison

center or doctor.

If Swallowed: Rinse mouth. Do NOT induce vomiting.

If On Skin (Or Hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower. Wash contaminated clothing before reuse.

In Inhaled: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center or doctor.

<u>Precautionary Statement – Storage</u>

Store locked up.

<u>Precautionary Statement - Disposal</u>

Dispose of contents/container in accordance with local, regional and national regulations.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Percent Wt.
Water	7732-18-5	75-100%
Surfactant	26027-38-3	1-5%
Sodium Metasilicate	6834-92-0	1-5%
Ethylene Glycol Monobutyl Ether	111-76-2	1-5%
TKPP	7320-34-5	1-5%
Trisodium Phosphate	10101-89-0	1-5%
Ethoxylated Alcohols	66455-15-9	1-5%
Xylene Sulfonate	1300-72-7	1-5%

The balance of the chemicals in this mixture are either considered nonhazardous or are below the listing limits for hazardous substances. These chemicals are considered trade secrets. The specific identity of these chemicals is available to health professionals.

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Eye Contact: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Immediately call a poison center or

doctor.

Skin Contact: If on skin (or hair), take off immediately all contaminated clothing. Rinse skin with

water or shower. Wash contaminated clothing before reuse. Immediately call a

poison center or doctor.



6801 St. Rt. 60 Birmingham, Ohio 44889

Inhalation: Remove person to fresh air and keep comfortable for breathing. Immediately call

a poison center or doctor.

Ingestion: Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects – Acute and Delayed

Symptoms: Direct contact with eyes causes serious damage. Substance causes serious skin

burns.

Indication Of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate

to local circumstances and the surrounding

environment.

Unsuitable Extinguishing Media: None

Specific Hazards Arising From The Chemical: Dried products capable of burning. Combustion

products are toxic.

Protective Equipment& Precautions for Firefighters: As in any fire, wear self-contained

breathing apparatus pressure-demand

MSHA/NIOSH (approved or equivalent) and full

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions: Use personal protective equipment as required. Isolate area. Keep

unnecessary personnel away. Stay upwind. Keep out of low areas.

Ventilate closed spaces before entering.

Methods and Materials for Containment and Clean Up

Methods for Containment: For small spills, absorb on poly-pads or other suitable non-reactive

absorbent material. Prevent further leakage or spillage if safe to do

SO.

Methods for Clean Up: Sweep up and shovel into suitable containers for disposal. Discard

any product, residue, disposable container or liner in full compliance with federal, state and local regulations.

SECTION 7- HANDLING AND STORAGE

Precautions for Safe Handling



6801 St. Rt. 60 Birmingham, Ohio 44889

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety

practice. Obtain special instructions before use. Do no handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Use only in well

ventilated areas. Do not breathe vapors or spray mist.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well ventilated

place. Keep out of the reach of children.

Incompatible Materials: Strong acids/oxidizing agents

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACHIH TLV	OSHA PEL	NOSH IDLH
Sodium Metasilicate	No data available	No data available	No data available
6834-92-0			
Surfactant	No data available	No data available	No data available
26027-38-3			
Dodecylamine Oxide	No data available	No data available	No data available
1643-20-5			
Ethylene Glycol	20 ppm TWA	50 ppm, 24 mg/m3	5 ppm, 24 mg/m3 TWA
Monobutyl Ether		TWA OSHA Z-1	
111-76-2		240 mg TWA OSHA PO	
TKPP	10 mg/m3 inhalable dust	15 mg/m3 dust	
7320-34-5	3 mg/m3 respirable dust	5 mg/m3 nuisance dust	
Trisodium Phosphate	No data available	No data available	No data available
10101-89-0			
Ethoxylated Alcohols	No data available	No data available	No data available
66455-15-9			
Sodium Xylene	No data available	No data available	No data available
Sulfonate			
1300-72-7			

Recommended Monitoring Procedures: If this product contains ingredients with exposure limits, personal, workplace atmosphere or other biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Appropriate Engineering Controls: Use only with adequate ventilation. If user operations generate dust, fumes, vapors, gas or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

6801 St. Rt. 60 Birmingham, Ohio 44889

<u>Hygiene Measures</u>: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the bathroom and at the end of the working periods.

Individual Protection Measures, Such As Personal Protective Equipment

Eye/Face Protection: Avoid contact with eyes. Wear safety eyewear.

Skin and Body Protection: Wear suitable protective clothing. Use impervious gloves.

Respiratory Protection: Not required with expected use. Ensure adequate

ventilation, especially in confined areas.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and

safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Appearance: Clear Green
Odor: Fresh
Color: Green

Odor Threshold: Not determined

pH: 13.5

Melting Point/Freezing Point: Not determined Boiling Point/Boiling Range: 212 Deg F Flash Point: n/a (tcp) **Evaporation Rate:** (H2O=1) = 1Flammability (Solid, Gas): n/a - liquid **Upper Flammability Limits:** UEL = n/aLEL = n/aLower Flammability Limits: Vapor Pressure: 20@68F

Vapor Density: Not determined

Specific Gravity: 1.079

Water Solubility: Soluble in water Solubility in Other Solvents: Not determined Partition Coefficient: Not determined Auto-Ignition Temperature: Not determined Decomposition Temperature Kinematic: Not determined Viscosity: Not determined **Dynamic Viscosity:** Not determined **Explosive Properties Oxidizing:** Not determined **Properties:** Not determined

6801 St. Rt. 60 Birmingham, Ohio 44889

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions

Chemical Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: None under normal processing

Hazardous Polymerization: Hazardous polymerization does not occur

Conditions to Avoid: Keep out of reach of children

Incompatible Materials: Strong acids/oxidizers

Hazardous Decomposition Products: Alkaline vapors in a fire

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Information on Likely Routes of Exposure</u>

Eye Contact: Causes severe eye damage Skin Contact: Causes severe skin burns

Inhalation: Irritating to the mucus membranes of the respiratory tract. Nasal discomfort and

coughing.

Ingestion: May be harmful if swallowed

<u>Chemical Name</u>	Oral LD50	Dermal LD50	Inhalation LC50
Water	90,000 mg/kg (rat)	Data not available	Data not available
Sodium Metasilicate	2,350 mg/kg (rat)	Data not available	Data not available
6834-92-0			
Surfactant	3,000 mg/kg (rat)	2,500 mg/kg (rat)	Data not available
26027-38-3			
Dodecylamine Oxide	5,000 mg/kg	Data not available	Data not available
1643-20-5			
Ethylene Glycol	1,200 mg/kg (guinea pig)	>2,000 mg/kg	663, ppm 4 h
Monobutyl Ether			
111-76-2			
TKPP	2,980 mg/kg (rat)	7,940 mg/kg (rabbit)	Data not available
7320-34-5			
Trisodium Phosphate	7,400 mg/kg (rat)	Data not available	Data not available
10101-89-0			
Ethoxylated Alcohols	1,400 mg/kg (rat)	>2,000 mg/kg (rabbit)	Data not available
66455-15-9			
Sodium Xylene	7,200 mg/kg (rat)	>2,000 mg/kg (rabbit)	Data not available
Sulfonate			
1300-72-7			



6801 St. Rt. 60 Birmingham, Ohio 44889

<u>Information on Physical Chemical and Toxicological Effects</u>

Symptoms: Please see Section 4 of this SDS for symptoms

Delayed And Immediate Effects As Well As Chronic Effects From Short And Long Term Exposure

Carcinogenicity: This products does not contain any carcinogens or potential carcinogens as

listed by OSHA, IARC or NTP

Numerical Measures of Toxicity
ATEmix-oral: mg/kg

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity

	Algae/Aquatic		Toxicity to Micro-	
<u>Chemical Name</u>	<u>Plants</u>	<u>Fish</u>	<u>Organisms</u>	<u>Crustacea</u>
Sodium Metasilicate	EC50: (Scenedesmus	LC50: 96 h	Data Not Available	EC50:
6834-92-0	subspicatus): 72 h:	(Brachydanio		Daphnia
	207 mg/L	rerio): 210		magna 48h:
		mg/L		>1700 mg/L
Surfactant	EC50: (Scenedesmus	LC50: (Oryzias	Data Not Available	EC50:
26027-38-3	subspicatus): .0325	latipes): 29.9		Daphnia
	mg/L	mg/L		magna: 7.4
				mg/L
Dodecylamine Oxide	Data Not Available	Data Not	Data Not Available	Data Not
1643-20-5		Available		Available
Ethylene Glycol	EC50:	LC50	Data Not Available	EC50:
Monobutyl Ether	(Pseudokirchneriella	(Oncorhynchus		Daphnia
111-76-2	subcapitata (green	mykiss		magna
	algae): 911 mg/L	(rainbow		(water flea):
	Endpoint: Biomass	trout): 1,474		1,800 mg/L
		mg/L		Exposure
				time: 48h
TKPP	Data Not Available	Rainbow Trout	Data Not Available	Mysid
7320-34-5		96h: >100		Shrimp 96h:
		mg/L		>100 mg/L
Trisodium Phosphate	Data Not Available	EC50:	Data Not Available	Data Not
10101-89-0		Mosquito Fish:		Available
		151 mg/L		
Ethoxylated Alcohols	Data Not Available	Data Not	Data Not Available	Data Not
66455-15-9		Available		Available
Sodium Xylene	EC 50 algae: 230	Rainbow Trout	Data Not Available	
Sulfonate	mg/kg	96h: > 1000		
1300-72-7		mg/L		

6801 St. Rt. 60 Birmingham, Ohio 44889

Persistence and Degradability: Not determined

Bioaccumulation: Not expected to bio accumulate significantly

Other Adverse Effects: Not determined

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes: Disposal should be in accordance with applicable regional, national

and local laws and regulations

Contaminated Packaging: Disposal should be in accordance with applicable regional, national

and local laws and regulations

SECTION 14 – TRANSPORT INFORMATION

Note: Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

DOT: Not regulated IATA: Not available IMDG: Not available TDG: Not regulated

SECTION 15 – REGULATORY INFORMATION

International Inventories: Not determined

US Federal Regulations

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization

Act of 1986 (SARA). This product contains a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal

Regulations, Part 372.

<u>Chemical Name</u>	<u>CAS No</u>	Weight %
Ethylene Glycol Monobutyl Ether	111-76-2	1-5%



6801 St. Rt. 60 Birmingham, Ohio 44889

U.S. State Right-To-Know Regulations

<u>Chemical Name</u>	New Jersey	<u>Massachusetts</u>	<u>Pennsylvania</u>
Ethylene Glycol Monobutyl Ether	90-100%	90-100%	90-100%
Trisodium Phosphate	Х	Х	Х

California Prop 65: This product contains no chemicals known to the State of California to

cause cancer and reproductive toxicity

SECTION 16 – OTHER INFORMATION

NFPA	Health Flammability Instability	Not determined Not determined Not determined
	•	
	Special Hazards	Not determined
HMIS	Health	2
	Flammability	0
	Physical Hazards	0

Personal Protection

The information and recommendations contained herein are, to the best of Bettcher Industries' and the manufacturer of this product, accurate and reliable as of the date issued. Bettcher and the manufacturer shall not be liable for any loss or damage arising out of the use thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.

PLEASE NOTE: "The above information is accurate to the best of our knowledge. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Bettcher Industries, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should satisfy himself that he has all current data relevant to his particular use."